



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

CANNALYTICS, LLC
Corporate Office Park, CPM Plaza
#44, Road 20, km 2.6, Suite 107
San Juan, PR 00966
Javier Diaz Phone: 787-300-5550

CHEMICAL

Valid To: December 31, 2022

Certificate Number: 5094.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on cannabis, cannabis extracts and concentrates (non-solvent and solvent based), topicals and edibles:

<u>Test/Technology</u>	<u>Test Method</u>
Cannabinoid Profile and Potency by HPLC CBC CBD CBDa CBDV CBG CBGa CBN D8-THC D9-THC THCa THCV	SOP-30
Heavy Metals by ICPMS Aresenic Cadmium Lead Mercury	SOP-27
Mycotoxins by Fluorometer Aflatoxins Ochratoxin A	SOP-28
Pesticides by GC-MS (Qualitative) Abamectin Acequinocyl Bifenazate Bifenthrin Butoxide Captan Cyfluthrin	SOP-29

<u>Test/Technology</u>	<u>Test Method</u>
Pesticides by GC-MS (Qualitative) (continued) Cypermethrin Dimethomorph Etoxazole Fenhexamid Flonicamid Fludioxonil Imazalil, Imidacloprid Myclobutanil Piperonyl Pyrethrins Quintozene Spinetoram Spinosad Spirotetramat, Thiamethoxam Thiophanate-Methyl, Trifloxystrobin	
Residual Solvents by GC-FID Acetone Acetonitrile Ethanol Heptane Isobutane Isopropanol Methanol n-Butane n-Hexane Propane	SOP-31
Terpene Analysis by GC-FID (-)- α -Bisabolol (-)- β -Pinene (-)-Guaiol (-)-Isopulegol α -Humulene α -Pinene α -Terpinene β -Caryophyllene β -Myrcene Camphene δ -3-Carene δ -Limonene γ -Terpinene Geraniol Linalool Nerolidol Ocimene p-Cymene Terpinolene	SOP-32



<u>Test/Technology</u>	<u>Test Method</u>
Water Activity by Water Activity Meter	SOP-18b
Water Moisture by Moisture Analyzer	SOP-18

BIOLOGICAL

<u>Test/Technology</u>	<u>Test Method</u>
Foreign Matter by Microscope	ORA Laboratory Manual FDA Office of Regulatory Affairs Office of Regulatory Science
Microbiology by Plating Aerobic Bacteria <i>Escherichia coli</i> <i>Salmonella</i> Yeast and Mold	SOP-22
Microbiology by qPCR <i>E. coli</i> <i>Salmonella</i> Yeast and Mold	SOP-22





Accredited Laboratory

A2LA has accredited

CANNALYTICS, LLC.

San Juan, PUERTO RICO

for technical competence in the field of

Chemical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 18th day of December 2020.

A blue ink signature of the Vice President of Accreditation Services.

Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 5094.01
Valid to December 31, 2022

For the tests to which this accreditation applies, please refer to the laboratory's Chemical Scope of Accreditation.