



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

VISTA LABORATORIES, INC.  
1261 Puerta Del Sol  
San Clemente, CA 92673  
David Zhang Email: info@vista-compliance.com

ELECTRICAL

Valid To: July 31, 2024

Certificate Number: 4848.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests:

**Test Technology:**

**Test Method(s)<sup>1</sup>:**

Emissions

Conducted and Radiated  
(up to 40 GHz)

CISPR 11; EN 55011; CISPR 13; EN 55013;  
CISPR 22; EN 55022; CISPR 32; EN 55032;  
AS/NZS CISPR 11; AS/NZS CISPR 14.1;  
AS/NZS CISPR 22; AS/NZS CISPR 32;  
47 CFR FCC Part 18, (using MP-5:1986); 47 CFR FCC Part 11;  
47 CFR FCC Part 15, Subpart B (using ANSI C63.4:2014);  
ICES-001; ICES-003; ICES-005; ICES-006;  
JEITA IT-3001; VCCI-CISPR 32:2016;  
CNS 13438 (up to 6 GHz); CNS 13783-1; CNS 13803; CNS 13439;  
CISPR 22; SI 961 Part 24;  
TCVN 7189:2009 (CISPR 22:2006); GB9254;  
KS C 9811:2019; KS C 9814-1:2022; KS C 9814-2:2022;  
KS C 9815:2019; KS C 6955:2019; KS C 9832:2019;  
KS C 9990:2017; KS C 9832:2019

Harmonics and Flickers

IEC 61000-3-2; EN 61000-3-2; IEC 61000-3-3; EN 61000-3-3;  
AS/NZS 61000.3.2; AS/NZS 61000.3.3; GB17625.1;  
KS C 9610-3-2:2020/KS C9610-3-12:2020;  
KS C 9610-3-3:2020/KS C9610-3-11:2017

Immunity

Electrostatic Discharge (ESD)

IEC 61000-4-2; EN 61000-4-2;  
KS C 9610-4-2;

Radiated Immunity (RI)

(up to 6 GHz, 10 V/m,  
UFA 0.5m x 0.5m for 1 to 6 GHz)

IEC 61000-4-3; EN 61000-4-3;  
KS C 9610-4-3;

**Test Technology:****Test Method(s)<sup>1</sup>:**Immunity (*cont.*)Electrical Fast Transient/Burst  
(EFT/B)

IEC 61000-4-4; EN 61000-4-4; KS C 9610-4-4

Surge

IEC 61000-4-5; EN 61000-4-5; KS C 9610-4-5

Conducted Immunity (CI)

IEC 61000-4-6; EN 61000-4-6; KS C 9610-4-6

Dips, Short Interrupts, Voltage  
Variations

IEC 61000-4-11; EN 61000-4-11; KS C 9610-4-11

Generic, Product Family and  
Industry Specific Standards

AS/NZS 1044; AS/NZS 2279.3; AS/NZS 3548;  
AS/NZS 4251.1; AS/NZS 4251.2; AS/NZS CISPR 24;  
AS/NZS 61000.6.3; AS/NZS 61000.6.4;  
EN 50121-3-2; EN 12184; EN 50083-2;  
EN 50090-2-2; EN 50091-2; EN 50121-4; EN 50130-4;  
EN 50130-4 + A12; EN 50412-2-1; EN 50491-5-1;  
EN 50491-5-2; EN 50491-5-3; EN 55015; EN 55024; EN 55035;  
EN 60601-1-2; EN 302 480; EN 61000-6-1; EN 61000-6-2;  
EN 61000-6-3; EN 61000-6-4; EN 61204-3; EN 61326-1;  
EN 61326-2-1; EN 61326-2-2; EN 61326-2-3;  
EN 61326-2-4; EN 61326-2-5; EN 61547;  
ETSI EN 301 489-01; ETSI EN 301 489-02;  
ETSI EN 301 489-03; ETSI EN 301 489-04;  
ETSI EN 301 489-05; ETSI EN 301 489-06;  
ETSI EN 301 489-07; ETSI EN 301 489-08;  
ETSI EN 301 489-09; ETSI EN 301 489-10;  
ETSI EN 301 489-11; ETSI EN 301 489-12;  
ETSI EN 301 489-13; ETSI EN 301 489-14;  
ETSI EN 301 489-15; ETSI EN 301 489-16;  
ETSI EN 301 489-17; ETSI EN 301 489-18;  
ETSI EN 301 489-19; ETSI EN 301 489-20;  
ETSI EN 301 489-22; ETSI EN 301 489-23;  
ETSI EN 301 489-24; ETSI EN 301 489-25;  
ETSI EN 301 489-26; ETSI EN 301 489-27;  
ETSI EN 301 489-28; ETSI EN 301 489-31;  
ETSI EN 301 489-32; ETSI EN 301 489-33;  
ETSI EN 301 489-34; ETSI EN 301 489-50;  
ETSI EN 301 489-51; ETSI EN 301 489-52;  
CISPR 24; CISPR 35;  
IEC 60601-1-2; IEC 60945;  
TCVN 7317:2003 (CISPR 24:1997);  
SI 961 Part 24;  
AS/NZS 61000.6.3; AS/NZS 61000.6.4;  
KN 50; KN 51; KS X 3141: 2015; KS C 9040-2:2017;  
KS C IEC 60947-1:2017; KS C IEC 60947-2:2019;  
KS C IEC 60947-4-1:2016;

**Test Technology:**

Generic, Product Family and  
Industry Specific Standards  
(cont.)

Radio Frequency (RF) – CE  
(excluding protocol testing)

**Test Method(s)<sup>1</sup>:**

KS C 9610-6-3:2017; KS C 9610-6-4:2022;  
KS C IEC 60601-1-2:2012; KS C 9547:2020; KS C 9974-10:2020;  
KS C 9610-6-1:2019; KS C 9610-6-2:2019; KS X 3124:2020;  
KS X 3137:2014; KS X 3125:2020; KS X 3127:2014;  
KS X 3128:2014; KS X 3130:2014; KS X 3131:2014;  
KS X 3136:2014; KS X 3126:2020; KS X 3132:2014;  
KS X 3139:2014; KS X 3134:2014; KS X 3138:2015;  
KS X 3140:2014; KS X 3143:2020; KS C 9835:2019;  
KS C 9800-3:2017; KS B 6945:2019; KS X 3135:2020;  
KS C 9995:2021; KS X 3129:2020

ETSI EN 300 086-1; ETSI EN 300 224-1; ETSI EN 300 224-2;  
ETSI EN 300 279; ETSI EN 300 339; ETSI EN 300 385;  
ETSI EN 301 166-1; ETSI EN 301 166-2; ETSI EN 301 357-1;  
ETSI EN 301 357-2; ETSI EN 301 390; ETSI EN 301 406;  
ETSI EN 301 502; ETSI EN 301 511; ETSI EN 301 751;  
ETSI EN 301 753; ETSI EN 301 783-2; ETSI EN 301 796;  
ETSI EN 301 797; ETSI EN 301 839-1; ETSI EN 301 839-2;  
ETSI EN 301 840-2; ETSI EN 301 843-1; ETSI EN 301 843-2;  
ETSI EN 301 843-3; ETSI EN 301 843-4; ETSI EN 301 843-5;  
ETSI EN 301 843-6; ETSI EN 301 893; ETSI EN 301 908-01;  
ETSI EN 301 908-02; ETSI EN 301 908-03; ETSI EN 301 908-04;  
ETSI EN 301 908-05; ETSI EN 301 908-06; ETSI EN 301 908-07;  
ETSI EN 301 908-08; ETSI EN 301 908-09; ETSI EN 301 908-10;  
ETSI EN 301 908-11; ETSI EN 301 908-13; ETSI EN 301 929-2;  
ETSI EN 302 017-1; ETSI EN 302 017-2; ETSI EN 302 018-2;  
ETSI EN 302 054-2; ETSI EN 302 064-2; ETSI EN 302 065-1;  
ETSI EN 302 066-2; ETSI EN 302 077-2; ETSI EN 302 195-2;  
ETSI EN 302 208-1; ETSI EN 302 208-2; ETSI EN 302 217-1;  
ETSI EN 302 217-2; ETSI EN 302 217-2-1; ETSI EN 302 217-2-2;  
ETSI EN 302 217-3; ETSI EN 302 217-4-1; ETSI EN 302 217-4-2;  
ETSI EN 302 245-2; ETSI EN 302 288-1; ETSI EN 302 288-2;  
ETSI EN 302 291-1; ETSI EN 302 291-2; ETSI EN 302 296;  
ETSI EN 302 297; ETSI EN 302 326-1; ETSI EN 302 326-2;  
ETSI EN 302 326-3; ETSI EN 302 372-2; ETSI EN 302 426;  
ETSI EN 302 454-2; ETSI EN 302 480; ETSI EN 302 500-1;  
ETSI EN 302 500-2; ETSI EN 302 502; ETSI EN 302 510-2;  
ETSI EN 302 567; ETSI EN 302 571; ETSI EN 302 625;  
ETSI EN 303 883; ETSI EN 303 413; ETSI EN 300 086-2;  
ETSI EN 300 113-1; ETSI EN 300 113-2; ETSI EN 300 197;  
ETSI EN 300 198; ETSI EN 300 220-1; ETSI EN 300 220-2;  
ETSI EN 300 220-3; ETSI EN 300 296-1; ETSI EN 300 296-2;  
ETSI EN 300 328; ETSI EN 300 330-1; ETSI EN 300 330-2;  
ETSI EN 300 390-1; ETSI EN 300 390-2; ETSI EN 300 422-1;

**Test Technology:**

**Test Method(s)<sup>1</sup>:**

Radio Frequency (RF) – CE  
(excluding protocol testing)  
(cont.)

ETSI EN 300 422-2; ETSI EN 300 440-1; ETSI EN 300 440-2;  
ETSI EN 300 454-1; ETSI EN 300 454-2; ETSI EN 300 718-2;  
ETSI TS 102 883; ETSI TS 103 361; EN 305 550-1;  
EN 305 550-2; EN 303 417

Radio Frequency (RF) - FCC

47 CFR FCC Part 15, Subparts C, D, E, F, G, H  
(using ANSI C63.10-2013, ANSI C63.17-2013, KDB 905462);  
47 CFR FCC Parts 20, 22, 24, 25, 27, 30, 73, 74, 80, 87, 90, 95, 96,  
97, 101 (using TIA-603-E, ANSI C63.26:2015, ANSI C63.27:2017;  
FCC KDB 935210 D03 (v04r04), D04 (v02r04), D05 (v01r01  
v01r04))

Radio Frequency (RF) - Canada

RSS 111; RSS 112; RSS 117; RSS 119; RSS 123; RSS 125;  
RSS 127; RSS 130; RSS 131; RSS 132; RSS 133; RSS 134;  
RSS 135; RSS 137; RSS 139; RSS 140; RSS 141; RSS 142;  
RSS 170; RSS 181; RSS 182; RSS 191; RSS 192; RSS 194;  
RSS 195; RSS 196; RSS 197; RSS 199; RSS 210; RSS 211;  
RSS 213; RSS 215; RSS 216; RSS 220; RSS 222; RSS 236;  
RSS 238; RSS 243; RSS 244; RSS 246; RSS 247; RSS 248;  
RSS 251; RSS 252; RSS 287; RSS 288; RSS 310; RSS Gen

Radio Frequency (RF) - Mexico

NOM-208-SCFI-2016 with IFT-008-2015

Radio Frequency (RF) – Israel

Wireless Telegraph Ordinance (Ordinance Non-Application  
Directive), 1982;  
Frequencies for GSM and UMTS networks;  
Checklist for Conformance Approval for DECT equipment in the  
Spectrum Division, July 2010;  
Type Approval – Licensed Frequencies;  
Type Approval – Licensed Exempt Frequencies

Radio Frequency (RF) – IMDA

IMDA TS DSRC; IMDA TS WSD;  
IMDA TS DVB-T2 IRD; IMDA TS CT-CTS;  
IMDA TS SRD; IMDA TS AR;  
IMDA TS GMPCS; IMDA TS CMT;  
IMDA TS CBS; IMDA TS UWB;  
IMDA TS WBA; IMDA TS LMR; IMDA TS IOT

Radio Frequency (RF) – Vietnam

QCVN 10:2010/BTTTT; QCVN 11:2010/BTTTT;  
QCVN 13:2010/BTTTT; QCVN 14:2010/BTTTT;  
QCVN 16:2018/BTTTT; QCVN 17:2010/BTTTT;  
QCVN 18:2014/BTTTT; QCVN 19:2010/BTTTT;  
QCVN 20:2010/BTTTT; QCVN 21:2010/BTTTT;  
QCVN 29:2011/BTTTT; QCVN 30:2011/BTTTT;  
QCVN 31:2011/BTTTT; QCVN 37:2018/BTTTT;  
QCVN 40:2011/BTTTT; QCVN 41:2016/BTTTT;

**Test Technology:**

**Test Method(s)<sup>1</sup>:**

Radio Frequency (RF) – Vietnam  
(cont.)

QCVN 42:2011/BTTTT; QCVN 43:2011/BTTTT;  
QCVN 44:2018/BTTTT; QCVN 45:2011/BTTTT;  
QCVN 46:2011/BTTTT; QCVN 47:2015/BTTTT;  
QCVN 48:2011/BTTTT; QCVN 49:2011/BTTTT;  
QCVN 53:2017/BTTTT; QCVN 54:2020/BTTTT;  
QCVN 55:2011/BTTTT; QCVN 56:2011/BTTTT;  
QCVN 61: 2011/BTTTT; QCVN 65:2021/BTTTT  
QCVN 66:2018/BTTTT; QCVN 73:2013/BTTTT;  
QCVN 74:2020/BTTTT; QCVN 75:2013/BTTTT;  
QCVN 76:2013/BTTTT; QCVN 77:2013/BTTTT;  
QCVN 86:2019/BTTTT; QCVN 88:2015/BTTTT;  
QCVN 91:2015/BTTTT; QCVN 92:2015/BTTTT;  
QCVN 93:2015/BTTTT; QCVN 94:2015/BTTTT;  
QCVN 95:2015/BTTTT; QCVN 96:2015/BTTTT;  
QCVN 99:2015/BTTTT; QCVN 103:2016/BTTTT;  
QCVN 110:2017/BTTTT; QCVN 111:2017/BTTTT;  
QCVN 112:2017/BTTTT; QCVN 117:2020/BTTTT;  
QCVN 118:2018/BTTTT; QCVN 119:2019/BTTTT

Radio Frequency (RF) – Taiwan

LP0002 (2020); PLMN ALL (2020) (Only PLMN01);  
PLMN07 (2020); PLMN ALL (2020) (Only PLMN08);  
PLMN ALL (2020) (Only PLMN10);  
PLMN ALL (2020) (Only PLMN11);  
PLMN ALL (2020) (Only PLMN12);  
IS ALL (2020) (Only IS2038); IS ALL (2020) (Only IS2050)

Radio Frequency (RF) – Hong  
Kong

HKCA 1001; HKCA 1002; HKCA 1003; HKCA 1004; HKCA 1005;  
HKCA 1006; HKCA 1007; HKCA 1008; HKCA 1010; HKCA 1015;  
HKCA 1016; HKCA 1019; HKCA 1020; HKCA 1022; HKCA 1026;  
HKCA 1033; HKCA 1034; HKCA 1035; HKCA 1036; HKCA 1037;  
HKCA 1039; HKCA 1041; HKCA 1042; HKCA 1043; HKCA 1044;  
HKCA 1045; HKCA 1046; HKCA 1047; HKCA 1048; HKCA 1049;  
HKCA 1050; HKCA 1052; HKCA 1053; HKCA 1054; HKCA 1056;  
HKCA 1057; HKCA 1061; HKCA 1064; HKCA 1065; HKCA 1066;  
HKCA 1067; HKCA 1068; HKCA 1069; HKCA 1070; HKCA 1071;  
HKCA 1072; HKCA 1073; HKCA 1074; HKCA 1075;  
HKCA 1076; HKCA 1077; HKCA 1080

Radio Frequency (RF) – Australia  
& New Zealand

AS 2772.2; AS/NZS 4281; AS/NZS 4771; AR IB RCR STD-28;  
Radiocommunications (Short range devices) Standard 2014  
(AS/NZS 4268, AS/NZS 4268.1, AS/NZS 4268.2);  
Radiocommunications (406 MHz Satellite Distress Beacons)  
Standard 2014;  
(AS/NZS 4280, AS/NZS 4280.1:2003, AS/NZS 4280.2:2003);  
Radiocommunications (Cordless Telephone) Standard 2008  
(AS/NZS 4281:2007);

**Test Technology:**

**Test Method(s) <sup>1</sup>:**

Radio Frequency (RF) – Australia & New Zealand (*cont.*)

Radiocommunications (Analogue Speech (Angle Modulated Equipment) Standard 2014 (AS/NZS 4295:2015);  
Radiocommunications (121.5 MHz and 243.0 MHz Emergency Position Indicating Radio Beacons) Standard 2014 (AS/NZS 4330:2006);  
Radiocommunications (UHF CB Radio Equipment) Standard 2011 (No.1) (AS/NZS 4365:2011);  
Radiocommunications (VHF Radiotelephone Equipment - Maritime Mobile Service) Standard 2014 (AS/NZS 4415.1:2003, AS/NZS 4415.2:2003);  
Radiocommunications (MF and HF Radiotelephone Equipment - International Maritime Mobile Service) Standard 2014 (AS/NZS 4582:2004);  
Radiocommunications (118 MHz to 137 MHz Amplitude Modulated Equipment - Aeronautical Radio Service) Standard 2012 (AS/NZS 4583:2016);  
Radiocommunications (Paging Service Equipment) Standard 2014 (AS/NZS 4769.1:2000, AS/NZS 4769.2:2000);  
Radiocommunications (MF and HF equipment - Land Mobile Service) Standard 2014 (AS/NZS 4770:2000);  
Radiocommunications (Digital Cordless Communications Devices - DECT Devices) Standard 2017;  
Radiocommunications (Digital Cordless Communications Devices - PHS Devices) Standard 2007

Radio Frequency (RF) – Korea

Regulations on Radio Equipment (Ordinance of MSIT No. 86, Jan 4, 2022);  
Unlicensed Radio Equipment Established Without Notice (MSIT Public Notification 2022-20, May 2022);  
Technical Requirements for Radio Equipment for Maritime Services (RRA Public Notification 2021-20, Nov 17, 2021);  
Technical Requirements for Radio Equipment for Aeronautical Services (RRA Public Notification 2021-14, August 12, 2021);  
Technical Requirements for Radio Equipment for Telecommunication Services (RRA Public Notification 2022-15, Jul 29, 2022);  
Technical Requirements of the Other Service Radio Equipment for Simple radio station, Space station and Earth station (RRA Public Notification 2021-35, Dec 28, 2021);  
Technical Requirements of Radio Wave Application (RRA Public Notification 2016-20, Sep 27, 2016);  
KS X 3123; KS X 3142; KS X 3270; KS X 3271

Radio Frequency (RF) – Japan

ARIB STD-T66; ARIB STD-T81; ARIB STD-T89;  
ARIB STD-T90; ARIB STD-T94 Fascicle 1;  
RCR STD-1; RCR STD-29; RCR STD-33

**Test Technology:**

**Test Method(s)<sup>1</sup>:**

Radio Law  
(Radio Equipment)

Scope B1 - Specified Radio Equipment specified in Article 38-2-2, paragraph 1, item 1 of the Radio Law;  
Scope B2 - Specified Radio Equipment specified in Article 38-2-2, paragraph 1, item 2 of the Radio Law;  
Scope B3 - Specified Radio Equipment specified in Article 38-2-2, paragraph 1, item 3 of the Radio Law

Specific Absorption Rate (SAR)  
and Hearing Aid Compatibility  
(HAC)

ANSI C63.19:2011; ANSI C95;  
EN 50371; EN 50383; EN 62233; EN 62311; EN 62479; EN 50360;  
EN 50361; EN 50364; EN 50566; EN 50663;  
IEC 62209-1; IEC 62209-2;  
FCC OET Bulletin 65 Supplement C;  
FCC OET Bulletin 65; FCC 47 CFR 20.19; H46-2/99-273E;  
IEEE 1528a:2013; NZS 2772.1; Resolution N 533;  
AS/NZS 2772.2:2011; CNS 14958-1; CNS 14959;  
Technical Requirements for the Human Protection against  
Electromagnetic Waves (MSIT Public Notification 2019-4,  
Jan 16, 2019);  
Technical Requirements for Measurement and Test Procedure of  
Specific Absorption Rate (RRA Public Notification 2018-18,  
Dec 7, 2018);  
Technical Requirements for Measurement of Electromagnetic Field  
Strength (RRA Public Notification 2021-22, Nov 29, 2021);  
Equipment to be subject of Test Procedure for Electromagnetic Field  
Strength and Specific Absorption Rate (MSIT Public Notification  
2021-16, Oct 12, 2021);  
RSS 102 Measurement (SAR- Specific Absorption Rate);  
RSS 102 Measurement (RF Exp. – RF Exposure Evaluation);  
IEEE C95.3-2021; RSS-HAC; IEC/IEEE 62209-1528: 2020;  
RSS 102 Measurement (NS, Nerve Stimulation); SPR-002

*SAR (400 MHz to 6 GHz)*

CBRS

CBRS Alliance Certification Test Plan CBRSA-TS-9001 v1.0.0;  
WInnForum Conformance and Performance Test Technical  
Standards WINNF-TS-0122 Version 1.0.2 25 November 2020

**On the following types of products:**

Radio Frequency Equipment; Telecommunications Terminal Equipment (TTE); Network Equipment;  
Information Technology Equipment (ITE); Medical Electrical Equipment; Household Appliance;  
Consumer Product; Audio & Video Products.

<sup>1</sup> When the date, revision or edition of a test method standard is not identified on the scope of accreditation, the laboratory is expected to be using the current version within one year of the date of publication, per part C., Section 1 of A2LA R101 - *General Requirements - Accreditation of ISO-IEC 17025 Laboratories*.

Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1 <sup>2</sup>:

<b>Rule Subpart/Technology</b>	<b>Test Method</b>	<b>Maximum Frequency (MHz)</b>
<u>Unintentional Radiators</u> Part 15B	ANSI C63.4:2014	40000
<u>Industrial, Scientific, and Medical Equipment</u> Part 18	FCC MP-5 (February 1986)	220000
<u>Intentional Radiators</u> Part 15C	ANSI C63.10:2013	220000
<u>Unlicensed Personal Communication Systems Devices</u> Part 15D	ANSI C63.17:2013	40000
<u>U-NIII without DFS Intentional Radiators</u> Part 15E	ANSI C63.10:2013	40000
<u>U-NIII with DFS Intentional Radiators</u> Part 15E	FCC KDB 905462 D02 (v02)	40000
<u>UWB Intentional Radiators</u> Part 15F	ANSI C63.10:2013	220000
<u>BPL Intentional Radiators</u> Part 15G	ANSI C63.10:2013	40000
<u>White Space Device Intentional Radiators</u> Part 15H	ANSI C63.10:2013	40000
<u>Commercial Mobile Services (FCC Licensed Radio Service Equipment)</u> Parts 22 (cellular), 24, 25 (below 3 GHz), and 27	ANSI C63.26:2015; ANSI/TIA-603-E	220000
<u>General Mobile Radio Services (FCC Licensed Radio Service Equipment)</u> Parts 22 (non-cellular), 90 (below 3 GHz), 95, 97 (below 3 GHz), and 101 (below 3 GHz)	ANSI C63.26:2015; ANSI/TIA-603-E	220000
<u>Citizens Broadband Radio Services (FCC Licensed Radio Service Equipment)</u> Part 96	ANSI C63.26:2015; ANSI/TIA-603-E	40000



Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1 <sup>2</sup>:

<b>Rule Subpart/Technology</b>	<b>Test Method</b>	<b>Maximum Frequency (MHz)</b>
<u>Maritime and Aviation Radio Services</u> Parts 80 and 87	ANSI C63.26:2015; ANSI/TIA-603-E	220000
<u>Microwave and Millimeter Bands Radio Services</u> Parts 25 (above 3 GHz), 30, 74, 90 (above 3 GHz), 95 (above 3 GHz), 97 (above 3 GHz) and 101	ANSI C63.26:2015; ANSI/TIA-603-E	220000
<u>Broadcast Radio Services</u> Parts 73 and 74 (below 3 GHz)	ANSI C63.26:2015; ANSI/TIA-603-E	40000
<u>Signal Boosters</u> Part 20 (Wideband Consumer Signal Boosters, Provider-specific Signal Boosters, and Industrial Signal Boosters), Section 90.219	ANSI C63.26:2015	40000
<u>RF Exposure</u> Devices subject to SAR requirements	IEEE Std 1528 <sup>TM</sup> -2013; KDB Publication 865664; KDB Publication 447498;	6000
<u>Hearing Aid Compatibility</u> HAC for Commercial mobile services	ANSI C63.19-2011	2500

<sup>2</sup> Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (<https://apps.fcc.gov/oetcf/eas/>) for a listing of FCC approved laboratories.



## Accredited Laboratory

A2LA has accredited

### VISTA LABORATORIES, INC.

*San Clemente, CA*

for technical competence in the field of

### Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 11<sup>th</sup> day of October 2022.

A blue ink signature of Mr. Trace McInturff, written in a cursive style.

Mr. Trace McInturff, Vice President, Accreditation Services  
For the Accreditation Council  
Certificate Number 4848.01  
Valid to July 31, 2024

*For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.*