



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

EUROFINS S-F ANALYTICAL LABORATORIES, INC.

2345 S 170<sup>th</sup> St

New Berlin, WI 53151

Rachel Orsini Phone: 262-754-5300

CHEMICAL

Valid To: April 30, 2025

Certificate Number: 4204.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with applicable requirements of the U.S. FDA cGMP Regulations per the 21 CFR parts 210 & 211), accreditation is granted to this laboratory to perform the following test on food, feed, meat, products, environmental swabs, and solids:

<u>Test/Technology</u>	<u>Test Method(s)</u>
Allergens (LFD) – Egg, Gluten, Milk, and Soy	Manufacturer Procedure
Allergens by ELISA – Gliadin, Milk, and Soy	Manufacturer Procedure
Alpha-Lactalbumin and Beta-Lactoglobulin Analysis	Current USP Revision (modified)
Ash in Food Products by Gravimetry	AOAC 920.153 AOAC 923.03 AOAC 930.30 AOAC 942.05
Caffeine in Beverages by HPLC	AOAC 979.08
Crude Fat in Food Products by Acid Hydrolysis	AOAC 922.06 AOAC 925.32 AOAC 954.02
Crude Fat in Food Products by Modified Mojonnier Ether Extraction	AOAC 932.06 AOAC 933.05 AOAC 989.05
Crude Fat in Meat by Ether Extraction	AOAC 920.39 AOAC 960.39
Determination of Water by Coulometric Karl Fischer Titration	ASTM D6304-16e1 USP <921> Current USP revision
Determination of Water by Volumetric Karl Fischer Reagent Titration	ASTM D4017-02 (2015) USP <921> Current USP Revision
Elemental Impurities by ICP/MS: Arsenic (As), Cadmium (Cd), Chromium (Cr), Copper (Cu), Iron (Fe), Lead (Pb), Mercury (Hg), Nickel (Ni), Zinc (Zn)	USP <233>

(A2LA Cert. No. 4204.01) Revised 04/13/2023

Page 1 of 2

<b><u>Test/Technology</u></b>	<b><u>Test Method(s)</u></b>
Ethanol and Isopropyl Alcohol Content in Alcohol based Hand Sanitizers by GC-FID	USP <611> (Modified)
Identification by FT-IR	USP <197> Current USP Revision
Immunoglobulin G by HPLC-UV	AOAC 2010.01 (modified)
Minerals and Trace Metals in Food Products by ICP-OES: Calcium (Ca), Iron (Fe), Potassium (K), Magnesium (Mg), Sodium (Na), Zinc (Zn)	AOAC 2011.14 (modified)
Moisture (Solids) in Food Products by Gravimetry	AOAC 920.116 AOAC 925.09 AOAC 925.30 AOAC 925.45A AOAC 925.45B AOAC 926.08 AOAC 930.15 AOAC 950.46B AOAC 990.02
Nitrogen and Protein in Food Products by Combustion	AOAC 990.03 AOAC 992.15
Optical (Specific) Rotation	USP <781> Current USP revision
Osmolality	USP <785>
pH in Food Products	AOAC 981.12
Refractive Index	USP <831> Current USP Revision
Salt in Food Products by Titrimetry	AOAC 935.43 AOAC 935.47 (Modified) AOAC 937.09 (Modified)
Specific Gravity	USP <841> Current USP Revision
Trace Metals in Food Products by ICP-MS: Arsenic (As), Cadmium (Cd), Chromium (Cr), Copper (Cu), Iron (Fe), Lead (Pb), Mercury (Hg), Nickel (Ni), Selenium (Se), Zinc (Zn)	AOAC 2013.06
Water Activity	AOAC 978.18





## Accredited Laboratory

A2LA has accredited

**EUROFINS S-F ANALYTICAL LABORATORIES, INC.**

*New Berlin, WI*

for technical competence in the field of

**Chemical Testing**

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 5<sup>th</sup> day of April 2023.

A blue ink signature of Mr. Trace McInturff.

Mr. Trace McInturff, Vice President, Accreditation Services  
For the Accreditation Council  
Certificate Number 4204.01  
Valid to April 30, 2025

*For the tests to which this accreditation applies, please refer to the laboratory's Chemical Scope of Accreditation.*