



SCOPE OF ACCREDITATION TO ISO/IEC 17020:2012

HOME INNOVATION RESEARCH LABS
400 Prince George's Blvd.
Upper Marlboro, MD 20774
Deanna Seale Phone: 301-430-6219

INSPECTION BODY

Valid To: July 31, 2025

Certificate Number: 6754.02

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this organization for the following Type A (Third Party) Construction Inspections:

<u>Description of Inspections:</u>	<u>Inspection Specifications:</u>	<u>Inspection Methods/Procedures:</u>
Cold Formed Steel Framing	ICC-ES AC 10	ID 1041 Product Certification of Cold-Formed Steel
Plumbing Fixtures, Solid Surface Material	ICC A117.1; ICC-ES AC 10	ID 1036 Certification Program for Plastic Plumbing Products
Thermal Insulation	NAIMA-202; NIA Certified Faced Insulation Standard	ID 1038 Certification Program for Metal Building Insulation; ID 1096 Inspection and Factory Guidelines for Pneumatically Applied Insulation; ID 5096 Certification Program for Laminated Metal Building Insulation
Manufacturing in fields specified above	ICC-ES AC304	Methods specified above



Accredited Inspection Body

A2LA has accredited

HOME INNOVATION RESEARCH LABS

Upper Marlboro, Maryland

for technical competence in and compliance with the

Inspection Body Accreditation Program

This inspection body is accredited in accordance with the recognized International Standard *ISO/IEC 17020:2012 Conformity Assessment – Requirements for the operation of various types of bodies performing inspection*. This accreditation demonstrates technical competence for a defined scope and the operation of a quality management system.



Presented this 16th day of February 2024.

A blue ink signature of Mr. Trace McInturff, written in a cursive style.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 6754.02
Valid to July 31, 2025

For the inspections to which this accreditation applies, please refer to the organization's Inspection Body Scope of Accreditation.