

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

BUREAU VERITAS CONSUMER PRODUCTS SERVICES, INC. 1,4 100 Northpointe Parkway Buffalo, NY 14228-1884

Christina Torno Phone: 716-505-3732 Email: christina.torno@bureauveritas.com

MECHANICAL

Valid To: February 29, 2024 Certificate Number: 1735.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following <u>physical and mechanical tests on automotive</u>, <u>soft home products</u>, <u>apparel</u>, <u>toys and juvenile products to applicable safety standards</u>:

| Test: | Test Method(s): |
|---|--------------------------------------|
| | |
| High-Chairs | ASTM F404; 16 CFR 1231 |
| N F11 C' C.'1. | A CTM E407, 17 CED 1220 |
| Non-Full-Size Cribs | ASTM F406; 16 CFR 1220 |
| Safety Standard for Play Yards | ASTM F406; 16 CFR 1221 |
| , , | |
| Safety Standard for Carriages and Strollers | ASTM F833; 16 CFR 1227 |
| Sound Producing Toys | ASTM F963-2008, -2011, -2016, -2017: |
| | Sections 4.5, 8.20 |
| | |
| Projections | ASTM F963-2008, -2011, -2016, -2017: |
| | Section 4.8 |
| Wires and Rods | ASTM F963-2008, -2011, -2016, -2017: |
| | Sections 4.10, 8.12 |
| | 20012012 |
| Nails and Fasteners | ASTM F963-2008, -2011, -2016, -2017: |
| | Section 4.11 |
| Packaging Film / Plastic Film | ASTM F963-2008, -2011, -2016, -2017: |
| Packaging Film / Plastic Film | Sections 4.12, 8.22 |
| | 500110110 1.12, 0.22 |
| Folding Mechanisms and Hinges | ASTM F963-2008, -2011, -2016, -2017: |
| | Sections 4.13, 8.26 |

(A2LA Cert. No. 1735.01) Revised 11/16/2022

Page 1 of 8

| Test: | Test Method(s): |
|---|--|
| Cords, Straps, and Elastics | ASTM F963-2008, -2011, -2016, -2017: Sections 4.14, 8.23 |
| Stability and Overload Requirements | ASTM F963-2008, -2011, -2016, -2017: Sections 4.15, 8.15, 8.21, 8.28 |
| Confined Spaces | ASTM F963-2008, -2011, -2016, -2017: Section 4.16 |
| Wheels, Tires, and Axles | ASTM F963-2008, -2011, -2016, -2017: Sections 4.17, 8.11 |
| Holes, Clearances, and Accessibility of Mechanisms | ASTM F963-2008, -2011, -2016, -2017: Section 4.18 |
| Simulated Protective Devices | ASTM F963-2008, -2011, -2016, -2017: Sections 4.19, 8.7.4 |
| Toy Pacifiers | ASTM F963-2008, -2011, -2016, -2017: Section 4.20.2 |
| Projectile Toys | ASTM F963-2008, -2011, -2016, -2017: Sections 4.21, 8.14 |
| Teethers and Teething Toys | ASTM F963-2008, -2011, -2016, -2017: Section 4.22 |
| Squeeze Toys | ASTM F963-2008, -2011, -2016, -2017: Section 4.24 |
| Battery Operated Toys | ASTM F963-2008, -2011, -2016, -2017: Sections 4.25 (Except Sections 4.24.8.1, 4.25.10 and 4.25.11), 8.17, 8.18, 8.19 |
| Toys Intended to be Attached to a Crib or Playpen | ASTM F963-2008, -2011, -2016, -2017: Section 4.26 |
| Stuffed and Beanbag – Type Toys | ASTM F963-2008, -2011, -2016, -2017: Sections 4.27, 8.9.1 |
| Toy Gun Marking | ASTM F963-2008, -2011, -2016, -2017: Section 4.30 |
| Certain Toys with Spherical Ends / Certain Toys with Nearly Spherical Ends | ASTM F963-2008, -2011, -2016, -2017: Section 4.32 |

| Test: | Test Method(s): |
|---|---|
| Small Balls | ASTM F963-2008, -2011, -2016, -2017: Section 4.34 |
| Pompoms | ASTM F963-2008, -2011, -2016, -2017: Sections 4.35, 8.16 |
| Hemispheric-Shaped Objects | ASTM F963-2008, -2011, -2016, -2017: Section 4.36 |
| Magnets | ASTM F963-2008, -2011, -2016, -2017: Sections 4.38, 8.25 |
| Jaw Entrapment in Handles and Steering Wheels | ASTM F963-2008, -2011, -2016, -2017: Section 4.39 |
| Expanding Materials | ASTM F963-2016, -2017: Sections 4.40, 8.30 |
| Toy Chests | ASTM F963-2016: Sections 4.41, 8.27 |
| Infant Walkers | ASTM F977; 16 CFR 1216 |
| Gates and Enclosures | ASTM F1004; 16 CFR 1239 |
| Hook-on Chairs | ASTM F1235; 16 CFR 1233 |
| Toddler Beds | ASTM F1821; 16 CFR 1217 |
| Bean Bag Chairs | ASTM F1912 |
| Infant Bedding and Related Accessories | ASTM F1917 |
| Infant Bath Seats | ASTM F1967; 16 CFR 1215 |
| Stationary Activity Centers | ASTM F2012; 16 CFR 1238 |
| Hand-Held Infant Carriers | ASTM F2050; 16 CFR 1225 |
| Portable Bed Rails | ASTM F2085; 16 CFR 1224 |
| Infant Swings | ASTM F2088; 16 CFR 1223 |
| Infant Bouncers Seats | ASTM F2167; 16 CFR 1229 |
| Bassinets and Cradles | ASTM F2194; 16 CFR 1218 |

| Test: | Test Method(s): |
|--|---|
| | |
| Safety Standard for Soft Infant and Toddler Carriers | ASTM F2236; 16 CFR 1226 |
| Changing Tables | ASTM F2388; 16 CFR 1235 |
| | |
| Frame Child Carriers | ASTM F2549; 16 CFR 1230 |
| Children's Chairs and Stools | ASTM F2613; 16 CFR 1232 |
| Booster Seats | ACTM F2640, 16 CFD 1227 |
| Booster Seats | ASTM F2640; 16 CFR 1237 |
| Marking of Toy, Look-Alike and Imitation Firearms | 15 CFR 1150 |
| Flame Resistance of Textiles | ASTM D6413 |
| Pranie Resistance of Textnes | ASTW D0413 |
| Standard Consumer Safety Specification for Bedside | ASTM F2906; 16 CFR 1222 |
| Sleepers | |
| Flammability of Blankets | ASTM D4151 |
| CIM | ACTM F2022 17 CFR 1241 |
| Crib Mattresses | ASTM F2933, 16 CFR 1241 |
| Infant Slings | ASTM F2907; 16 CFR 1228 |
| Infant Bathtubs | ASTM F2670; 16 CFR 1234 |
| mant Bathtuos | ASTW172070, 10 CFR 1254 |
| Baby Monitors | ASTM F2951 |
| Chests, Door Chests, Dressers | ASTM F2057 |
| Chests, Boot Chests, Bressers | NoTW1 2007 |
| Safety Standard for Magnets | 16 CFR 1262 |
| Banned Hazardous Products | 16 CFR 1500.3 (b) (15) (i) |
| | |
| Dive Sticks and Other Articles | 16 CFR 1500.86 Test Method; |
| | 16 CFR 1500.18 (a) (19) |
| Banned Toys and Other Banned Articles Intended for Use | 16 CFR 1500.86 Test Method; |
| by Children: | 16 CFR 1500.18 |
| Clacker Balls | 16 CFR 1500.86 (a) (5) Test Method; |
| | 16 CFR 1500.18 (a) (7) |
| Cap and Toy Guns | ASTM F963-2016, -2017 Section 4.5.1.6; |
| Cap and Toy Guils | ASTM F903-2010, -2017 Section 4.3.1.0; 16 CFR 1500.47 Test Method; |
| | 16 CFR 1500.18 (a) (5) |
| | |

| Test: | Test Method(s): |
|---|--|
| | |
| Labeling of Misbranded Toys | ASTM F963-2008, -2011, -2016, -2017: |
| | Section 4.6.3; |
| | 16 CFR 1500.19 |
| | |
| Flammable Solids Test Method | ASTM F963-2008, -2011, -2016, -2017: |
| | Section 4.2; |
| | 16 CFR 1500.3 (c) (6) (vi), 16 CFR |
| | 1500.44 |
| | |
| Flammable Contents of Self-Pressurized Containers | 16 CFR 1500.3 (c) (6) (viii), |
| | 16 CFR 1500.45 |
| | 16 GED 1700 2 () () () () () () |
| Extremely Flammable Contents of a Self-Pressurized | 16 CFR 1500.3 (c) (6) (vii), |
| Container | 16 CFR 1500.43, |
| | 16 CFR 1500.45 |
| Cl D | ACTM FO(2 2000 2011 2017 2017 |
| Sharp Points | ASTM F963-2008, -2011, -2016, -2017: |
| | Section 4.9; |
| | 16 CFR 1500.48 |
| Chouse Edoor | ASTM E062 2009 2011 2016 2017. |
| Sharp Edges | ASTM F963-2008, -2011, -2016, -2017: |
| | Section 4.7; |
| | 16 CFR 1500.49 |
| Normal Use Testing | ASTM F963-2008, -2011, -2016, -2017: |
| Tronnar ose resung | Section 8.5 |
| | Section of |
| Use and Abuse 18 Months of Age or Less | ASTM F963-2008, -2011, -2016, -2017: |
| 6 | Sections 8.5, 8.6, 8.7, 8.7.1, 8.7.2, 8.7.3, |
| | 8.8, 8.9, 8.10, and 8.12; 16 CFR 1500.51 |
| | , , , , , |
| Use and Abuse Over 18 Months and Not Over 36 Months | ASTM F963-2008, -2011, -2016, -2017: |
| of Age | Sections 8.5, 8.6, 8.7, 8.7.1, 8.7.2, 8.7.3, |
| | 8.8, 8.9, 8.10, and 8.12; 16 CFR 1500.52 |
| | |
| Use and Abuse Over 36 Months and Not Over 96 Months | ASTM F963-2008, -2011, -2016, -2017: |
| of Age | Sections 8.5, 8.6, 8.7, 8.7.1, 8.7.2, 8.7.3, |
| | 8.8, 8.9, 8.10, and 8.12; 16 CFR 1500.53 |
| | |
| Labeling for Exemptions for Small Packages, Minor | 16 CFR 1500.83 |
| Hazards and Special Circumstances | |
| | 16 CEP 1500 05 |
| Labeling for Exemptions from Banned Hazardous | 16 CFR 1500.85 |
| Substances | |
| | 16 CED 1500 06 |
| Exemptions from Classification as a Banned Toy or | 16 CFR 1500.86 |
| Other Banned Articles for Use by Children: | |
| | |

| Test Method(s): |
|--------------------------------------|
| |
| ASTM F963-2008, -2011, -2016, -2017: |
| Section 4.6; |
| 16 CFR 1501 |
| |
| ASTM F963-2008, -2011, -2016, -2017: |
| Section 4.4; |
| 16 CFR 1505 |
| ASTM F1169; |
| 16 CFR 1219; |
| 10 CFR 1219, |
| ASTM F963-2008, -2011, -2016, -2017: |
| Section 4.23.1; |
| 16 CFR 1510 |
| |
| ASTM F963-2008, -2011, -2016, -2017: |
| Section 4.20; |
| 16 CFR 1511 |
| |
| 16 CFR 1512 |
| |
| 4 OTD 4 F1 405 14 OFD 1510 |
| ASTM F1427; 16 CFR 1513 |
| ASTM F963-2008, -2011, -2016, -2017: |
| Annex A6; 16 CFR 1610 |
| 7 Hillex 710, 10 CTR 1010 |
| 16 CFR 1611 |
| |
| 16 CFR 1630 |
| |
| 16 CFR 1631 |
| |
| 16 CFR 1632 |
| 16 GED 1622 12 |
| 16 CFR 1633.12 |
| |
| 16 CFR 1615 |
| 10 CTK 1013 |
| 16 CFR 1616 |
| |
| EN-71, Part 1 |
| , |
| |
| EN-71, Part 2 |
| |
| ASTM F3084 |
| 1 |
| |

| Test: | Test Method(s): |
|--|------------------|
| Infant Inclined Sleep Products | ASTM F3118 |
| mant memed Sieep Floducts | ASTWITSTIO |
| Infant Sleep Standard | 16 CFR 1236 |
| Safety Standard for Crib Mattresses | 16 CFR 1241 |
| | A COTTAIN DATE |
| Standard Practice for Operating Salt Spray (Fog) Apparatus | ASTM B117 |
| Test for Chip Resistance of Surface Coatings | SAE J400 |
| Standard Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments | ASTM D1654 |
| Standard Test Method for Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact) | ASTM D5420 |
| Corrosion Resistance | Toyota PPS 1001 |
| Performance Based Standard for Accelerated Exposure of Automotive Exterior Materials Using a Controlled Irradiance Xenon-Arc Apparatus | SAE J2527 |
| Standard Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser | ASTM D4060 |
| Flammability of Interior Materials | FMVSS 302 |
| Office Seating ³ | ANSI BIFMA X5.1 |
| Lounge and Public Seating ³ | ANSI BIFMA X5.4 |
| Desk Products ³ | ANSI BIFMA X5.5 |
| Storage ³ | ANSI BIFMA X5.9 |
| Large Occupant Office Chair ³ | ANSI BIFMA X5.11 |
| Educational Seating ³ | ANSI BIFMA X6.1 |
| Occasional Use Seating ³ | ANSI BIFMA X6.4 |
| Small Office Home Office ³ | ANSI SOHO S6.5 |
| | |

¹ The Consumer Product Safety Improvement Act (CPSIA) requires that every children's product subject to a federal consumer product safety requirement be tested by a Consumer Product Safety Commission (CPSC) accepted laboratory for compliance with the applicable federal children's product safety requirements. Accreditation by A2LA does not infer acceptance by the CPSC. Please verify this organization's acceptance status by using the CPSC's searchable database, located at http://www.cpsc.gov/cgi-bin/labsearch/.

² This laboratory's scope contains withdrawn, inactive or superseded methods. As a clarifier, this indicates that the applicable method itself has been withdrawn or is now considered "historical" and not that the laboratory's accreditation for the method has been withdrawn.

³This laboratory also uses customer supplied specifications and/or methods directly related to the testing technologies listed above.

⁴ Meets the BIFMA Compliant® program requirement that product testing must be conducted in an ISO/IEC 17025 accredited test laboratory with the ANSI/BIFMA standard listed on the scope of accreditation. BIFMA Compliant® is an industry-wide registry of furniture products conforming to ANSI/BIFMA safety and durability standards. Accreditation by A2LA to ANSI/BIFMA standards does not infer acceptance in the BIFMA Compliant program. More information about the program and the product registry can be found at https://www.bifma.org/page/bifma-compliant.



Accredited Laboratory

A2LA has accredited

BUREAU VERITAS CONSUMER PRODUCTS SERVICES, INC.

Buffalo, NY

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 18th day of April 2022.

Mr. Trace McInturff, Vice President, Accreditation Services For the Accreditation Council

Certificate Number 1735.01

Valid to February 29, 2024