

### SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

#### BUREAU VERITAS CONSUMER PRODUCTS SERVICES, INC. <sup>1,4</sup> 100 Northpointe Parkway Buffalo, NY 14228-1884 Christina Torno Phone: 716-505-3732 Email: christina.torno@bureauveritas.com

### MECHANICAL

Valid To: May 31, 2024

Certificate Number: 1735.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following <u>physical and mechanical tests on automotive</u>, soft home products, apparel, toys and juvenile products to applicable safety standards:

Test:	Test Method(s):
High-Chairs	ASTM F404; 16 CFR 1231
Non-Full-Size Cribs	ASTM F406; 16 CFR 1220
Safety Standard for Play Yards	ASTM F406; 16 CFR 1221
Safety Standard for Carriages and Strollers	ASTM F833; 16 CFR 1227
Sound Producing Toys	ASTM F963-2008, -2011, -2016, -2017: Sections 4.5, 8.20
Projections	ASTM F963-2008, -2011, -2016, -2017: Section 4.8
Wires and Rods	ASTM F963-2008, -2011, -2016, -2017: Sections 4.10, 8.12
Nails and Fasteners	ASTM F963-2008, -2011, -2016, -2017: Section 4.11
Packaging Film / Plastic Film	ASTM F963-2008, -2011, -2016, -2017: Sections 4.12, 8.22
Folding Mechanisms and Hinges	ASTM F963-2008, -2011, -2016, -2017: Sections 4.13, 8.26

(A2LA Cert. No. 1735.01) Revised 04/25/2024

Page 1 of 8

Test:	Test Method(s):
Cords, Straps, and Elastics	ASTM F963-2008, -2011, -2016, -2017: Sections 4.14, 8.23
Stability and Overload Requirements	ASTM F963-2008, -2011, -2016, -2017: Sections 4.15, 8.15, 8.21, 8.28
Confined Spaces	ASTM F963-2008, -2011, -2016, -2017: Section 4.16
Wheels, Tires, and Axles	ASTM F963-2008, -2011, -2016, -2017: Sections 4.17, 8.11
Holes, Clearances, and Accessibility of Mechanisms	ASTM F963-2008, -2011, -2016, -2017: Section 4.18
Simulated Protective Devices	ASTM F963-2008, -2011, -2016, -2017: Sections 4.19, 8.7.4
Toy Pacifiers	ASTM F963-2008, -2011, -2016, -2017: Section 4.20.2
Projectile Toys	ASTM F963-2008, -2011, -2016, -2017: Sections 4.21, 8.14
Teethers and Teething Toys	ASTM F963-2008, -2011, -2016, -2017: Section 4.22
Squeeze Toys	ASTM F963-2008, -2011, -2016, -2017: Section 4.24
Battery Operated Toys	ASTM F963-2008, -2011, -2016, -2017: Sections 4.25 ( <i>Except Sections 4.24.8.1</i> , 4.25.10 and 4.25.11), 8.17, 8.18, 8.19
Toys Intended to be Attached to a Crib or Playpen	ASTM F963-2008, -2011, -2016, -2017: Section 4.26
Stuffed and Beanbag – Type Toys	ASTM F963-2008, -2011, -2016, -2017: Sections 4.27, 8.9.1
Toy Gun Marking	ASTM F963-2008, -2011, -2016, -2017: Section 4.30
Certain Toys with Spherical Ends / Certain Toys with Nearly Spherical Ends	ASTM F963-2008, -2011, -2016, -2017: Section 4.32

ASTM F963-2008, -2011, -2016, -2017: Section 4.34
ASTM F963-2008, -2011, -2016, -2017:
Sections 4.35, 8.16
ASTM F963-2008, -2011, -2016, -2017:
Section 4.36
ASTM F963-2008, -2011, -2016, -2017:
Sections 4.38, 8.25
ASTM F963-2008, -2011, -2016, -2017:
Section 4.39
ASTM F963-2016, -2017:
Sections 4.40, 8.30
ASTM F963-2016:
Sections 4.41, 8.27
ASTM F977; 16 CFR 1216
ASTM F1004; 16 CFR 1239
ASTM F1235; 16 CFR 1233
ASTM F1821; 16 CFR 1217
ASTM F1912
ASTM F1917
ASTM F1967; 16 CFR 1215
ASTM F2012; 16 CFR 1238
ASTM F2050; 16 CFR 1225
ASTM F2085; 16 CFR 1224
ASTM F2088; 16 CFR 1223
ASTM F2167; 16 CFR 1229
ASTM F2194; 16 CFR 1218

(A2LA Cert. No. 1735.01) Revised 04/25/2024

Test:	Test Method(s):
Safety Standard for Soft Infant and Toddler Carriers	ASTM F2236; 16 CFR 1226
	A GTM F2200 17 GED 1225
Changing Tables	ASTM F2388; 16 CFR 1235
Frame Child Carriers	ASTM F2549; 16 CFR 1230
Children's Chairs and Stools	ASTM F2613; 16 CFR 1232
Booster Seats	ASTM F2640; 16 CFR 1237
	ASTM 12040, 10 CFR 1257
Marking of Toy, Look-Alike and Imitation Firearms	15 CFR 1150
Flame Resistance of Textiles	ASTM D6413
Standard Consumer Safety Specification for Bedside	ASTM F2906; 16 CFR 1222
Sleepers	1011112/00, 10 011(1222
Flammability of Blankets	ASTM D4151
Crib Mattresses	ASTM F2933, 16 CFR 1241
	ASTM 12955, 10 CFR 1241
Infant Slings	ASTM F2907; 16 CFR 1228
Infant Bathtubs	ASTM F2670; 16 CFR 1234
Baby Monitors	ASTM F2951
Safety Standard for Clothing Storage Units	ASTM F2057-2023, 16 CFR 1261
Cafata Standard for Magnata	16 CED 1262
Safety Standard for Magnets	16 CFR 1262
Banned Hazardous Products	16 CFR 1500.3 (b) (15) (i)
Dive Sticks and Other Articles	16 CFR 1500.86 Test Method;
	16 CFR 1500.18 (a) (19)
Banned Toys and Other Banned Articles Intended for Use	16 CFR 1500.86 Test Method;
by Children:	16 CFR 1500.18
Clacker Balls	16 CFR 1500.86 (a) (5) Test Method;
	16 CFR 1500.18 (a) (7)
Cap and Toy Guns	ASTM F963-2016, -2017 Section 4.5.1.6;
1	16 CFR 1500.47 Test Method;
	16 CFR 1500.18 (a) (5)

Test:	Test Method(s):
I shaling of Mishney dod Torre	ASTM E0(2 2008 2011 201( 2017
Labeling of Misbranded Toys	ASTM F963-2008, -2011, -2016, -2017: Section 4.6.3;
	16 CFR 1500.19
	10 CFR 1300.19
Flammable Solids Test Method	ASTM F963-2008, -2011, -2016, -2017:
	Section 4.2;
	16 CFR 1500.3 (c) (6) (vi), 16 CFR
	1500.44
Flammable Contents of Self-Pressurized Containers	16 CFR 1500.3 (c) (6) (viii),
	16 CFR 1500.45
	1(CEP 1500.2(.)(C)())
Extremely Flammable Contents of a Self-Pressurized	16 CFR 1500.3 (c) (6) (vii),
Container	16 CFR 1500.43,
	16 CFR 1500.45
Sharp Points	ASTM F963-2008, -2011, -2016, -2017:
Sharp I onnis	Section 4.9;
	16 CFR 1500.48
	10 CI K 1500.40
Sharp Edges	ASTM F963-2008, -2011, -2016, -2017:
5	Section 4.7;
	16 CFR 1500.49
Normal Use Testing	ASTM F963-2008, -2011, -2016, -2017:
	Section 8.5
	A GTM FO(2,2009, 2011, 2017, 2017
Use and Abuse 18 Months of Age or Less	ASTM F963-2008, -2011, -2016, -2017:
	Sections 8.5, 8.6, 8.7, 8.7.1, 8.7.2, 8.7.3,
	8.8, 8.9, 8.10, and 8.12; 16 CFR 1500.51
Use and Abuse Over 18 Months and Not Over 36 Months	ASTM F963-2008, -2011, -2016, -2017:
of Age	Sections 8.5, 8.6, 8.7, 8.7.1, 8.7.2, 8.7.3,
of Age	8.8, 8.9, 8.10, and 8.12; 16 CFR 1500.52
	0.0, 0.9, 0.10, and 0.12, 10 01 K 1900.92
Use and Abuse Over 36 Months and Not Over 96 Months	ASTM F963-2008, -2011, -2016, -2017:
of Age	Sections 8.5, 8.6, 8.7, 8.7.1, 8.7.2, 8.7.3,
8-	8.8, 8.9, 8.10, and 8.12; 16 CFR 1500.53
Labeling for Exemptions for Small Packages, Minor	16 CFR 1500.83
Hazards and Special Circumstances	
Labeling for Exemptions from Banned Hazardous	16 CFR 1500.85
Substances	
	16 CED 1500.96
Evenntions from Classification as a Ranned Lov or	16 CFR 1500.86
Exemptions from Classification as a Banned Toy or Other Banned Articles for Use by Children:	

Page 5 of 8

Test:	Test Method(s):
Small Parts	ASTM F963-2008, -2011, -2016, -2017:
	Section 4.6;
	16 CFR 1501
Electronically Operated Toys	ASTM F963-2008, -2011, -2016, -2017:
Electronically operated roys	Section 4.4;
	16 CFR 1505
Full-Size Baby Cribs	ASTM F1169;
-	16 CFR 1219;
Rattles	ASTM F963-2008, -2011, -2016, -2017:
	Section 4.23.1;
	16 CFR 1510
Pacifiers	ASTM F963-2008, -2011, -2016, -2017:
	Section 4.20;
	16 CFR 1511
Bicycles (Full Sized) (Except Reflectors 16 CFR	16 CFR 1512
1512.16)	
Bunk Beds	ASTM F1427; 16 CFR 1513
Flammability of Clothing	ASTM F963-2008, -2011, -2016, -2017:
Frammaoliny of Clothing	
	Annex A6; 16 CFR 1610
Flammability of Vinyl Plastic Film	16 CFR 1611
Surface Flammability of Carpets and Rugs	16 CFR 1630
Surface Flammability of Small Carpets and Rugs	16 CFR 1631
Flammability of Mattresses and Mattress Pads	16 CFR 1632
Flammability (Open Flame) of Mattress Sets - Labeling	16 CFR 1633.12
Only	10 01 10 10 10 10 10 10 10 10 10 10 10 1
•	
Flammability of Children's Sleepwear (Size 0-6)	16 CFR 1615
	1( CED 1(1(
Flammability of Children's Sleepwear (Size 7-14)	16 CFR 1616
Safety of Toys: Mechanical and Physical Properties	EN-71, Part 1
(Except Breaking Test)	
Safety of Toys: Flammability	EN-71, Part 2
Infant and Infant/Toddler Rockers	ASTM F3084

(A2LA Cert. No. 1735.01) Revised 04/25/2024

Test:	Test Method(s):
Infant Inclined Sleep Products	ASTM F3118
Infant Sleep Standard	16 CFR 1236
Safety Standard for Crib Mattresses	16 CFR 1241
Standard Practice for Operating Salt Spray (Fog) Apparatus	ASTM B117
Test for Chip Resistance of Surface Coatings	SAE J400
Standard Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments	ASTM D1654
Standard Test Method for Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact)	ASTM D5420
Corrosion Resistance	Toyota PPS 1001
Performance Based Standard for Accelerated Exposure of Automotive Exterior Materials Using a Controlled Irradiance Xenon-Arc Apparatus	SAE J2527
Standard Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser	ASTM D4060
Flammability of Interior Materials	FMVSS 302
Office Seating <sup>3</sup>	ANSI BIFMA X5.1
Lounge and Public Seating <sup>3</sup>	ANSI BIFMA X5.4
Desk Products <sup>3</sup>	ANSI BIFMA X5.5
Storage <sup>3</sup>	ANSI BIFMA X5.9
Large Occupant Office Chair <sup>3</sup>	ANSI BIFMA X5.11
Educational Seating <sup>3</sup>	ANSI BIFMA X6.1
Occasional Use Seating <sup>3</sup>	ANSI BIFMA X6.4
Small Office Home Office <sup>3</sup>	ANSI SOHO S6.5

<sup>1</sup> The Consumer Product Safety Improvement Act (CPSIA) requires that every children's product subject to a federal consumer product safety requirement be tested by a Consumer Product Safety Commission (CPSC) accepted laboratory for compliance with the applicable federal children's product safety requirements. Accreditation by A2LA does not infer acceptance by the CPSC. Please verify this organization's acceptance status by using the CPSC's searchable database, located at http://www.cpsc.gov/cgi-bin/labsearch/.

<sup>2</sup> This laboratory's scope contains withdrawn, inactive or superseded methods. As a clarifier, this indicates that the applicable method itself has been withdrawn or is now considered "historical" and not that the laboratory's accreditation for the method has been withdrawn.

<sup>3</sup>This laboratory also uses customer supplied specifications and/or methods directly related to the testing technologies listed above.

<sup>4</sup> Meets the BIFMA Compliant® program requirement that product testing must be conducted in an ISO/IEC 17025 accredited test laboratory with the ANSI/BIFMA standard listed on the scope of accreditation. BIFMA Compliant® is an industry-wide registry of furniture products conforming to ANSI/BIFMA safety and durability standards. Accreditation by A2LA to ANSI/BIFMA standards does not infer acceptance in the BIFMA Compliant program. More information about the program and the product registry can be found at https://www.bifma.org/page/bifma-compliant.

An Page 8 of 8



## **Accredited Laboratory**

A2LA has accredited

# BUREAU VERITAS CONSUMER PRODUCTS SERVICES, INC.

Buffalo, NY

for technical competence in the field of

### Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 18<sup>th</sup> day of April 2022.

Mr. Trace McInturff, Vice President, Accreditation Services For the Accreditation Council Certificate Number 1735.01 Valid to May 31, 2024 Revised April 25, 2024

For the tests to which this accreditation applies, please refer to the laboratory's Mechanical Scope of Accreditation.