

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

NORTH COAST ANALYTICAL LABORATORIES LLC 10100 Wellman Road Streetsboro, OH 44241 Nick Szabo Phone: 440 591 3895

CHEMICAL

Valid To: September 30, 2021 Certificate Number: 4849.02

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on <u>cannabis</u> (hemp):

Test/Technology	Test Method
Heavy Metals (ICP/MS)	SOP-103
As, Cd, Pb, Hg	
Moisture Content (Drying/Weighing by Moisture Analyzer)	SOP-107
Mycotoxins (LC/MS/MS)	SOP-102
Aflatoxin B1, B2, G1, G2, and Ochratoxin	
Pesticides (LC/MS/MS)	SOP-102
Abamectin, Aldicarb, Bifenazate, Cyfluthrin, Daminozide,	
Diazonin, Dicholorvos, Dimethoate, Etoxazole, Flonicamid,	
Fludioxonil, Imdacloprid, Myclobutanil, Paclobutrazol, Piperonyl	
Butoxide, Pyrethrin I, Spinosyn A, Spinosyn D, Thiamethoxam,	
Trifloxystrobin	
Potency/Cannabinoid Content (HPLC)	SOP-104
CBDV, CBDA, CBGA, CBG, CBD, CBN, Delta-9 THC, Delta-8	
THC, CBC, Delta-9 THCA	
Residual Solvents (GC/MS)	SOP-105
Propane, Butane, Pentane, Ethanol, Ethyl Ether, 1,1	
Dichloroethene, Acetone, Isopropyl Alcohol, Acetonitrile, Hexane,	
Ethyl Acetate, 1,1,1 Trichloroethane, Carbon, Tetrachloride, 1,2-	
Dichloroethane, Benzene, Heptane, Toluene, Total Xylenes (m, p),	
Total Xylenes (o)	
Terpenes (GC/MS)	SOP-106
alpha-Pinene, Camphene, Sabinene, beta-Pinene, Myrcene, alpha-	
Phellandrene, delta-3-Carene, alpha-Terpinine, para-Cymene,	
Limonene, Eucalyptol, (E)-Ocimene, beta-Ocimene, gamma-	
Terpinene, Sabinene Hydrate, Terpinolene, Fenchone, Linalool,	
Fenchyl Alcohol, Isopulegol, Camphor, Isoborneol, Borneol,	
Menthol, alpha-Terpineol, Nerol, Pulegone, Geraniol, cis-Geranyl	
acetate, alpha-Cedrene, (E)-Caryophyllene, (E)-Farnesene, beta-	
Farnesene, alpha-Humulene, Valencene, (E)-Nerolidol, (Z)-	
Nerolidol, Caryophyllene Oxide, Guaiol, Cedrol, alpha-Bisabolol	

(A2LA Cert. No. 4849.02) 09/19/2019

Test/Technology	Test Method
Water Activity (Water Activity Meter Using Chilled Mirror	SOP-108
Dewpoint Sensor)	

BIOLOGICAL

Test/Technology	Test Method
Bile Tolerant Gram Negative (3M Petrifilm)	SOP-101
Escherichia coli (3M Petrifilm)	SOP-101
Foreign Material (Microscopy)	SOP-100
Salmonella (3M Petrifilm)	SOP-101
Total Coliform (3M Petrifilm)	SOP-101
Total Viable Aerobic Bacteria (3M Petrifilm)	SOP-101
Total Yeast and Mold (3M Petrifilm)	SOP-101

hu



Accredited Laboratory

A2LA has accredited

NORTH COAST ANALYTICAL LABORATORIES, LLC

Streetsboro, OH

for technical competence in the field of

Chemical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 19th day of September 2019.

Vice President, Accreditation Services For the Accreditation Council Certificate Number 4849.02 Valid to September 30, 2021