

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

A. AGRATI SPA Via Piave, 28-30 20837 Veduggio con Calzano Monza Brianza, Italy Emilio Pozzi Phone: 011 39 0362 9801 Fax: 011 39 0362 910 944

MECHANICAL

Valid To: October 31, 2023

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory at the location listed above, as well as the one satellite laboratory location listed below¹, to perform the following fastener tests:

Test(s):

Test Method(s):

Hardness	
Rockwell (B and C)	
Brinell (HB 2.5/187.5)	
Vickers (HV5-HV30)	

Tensile Proof Axial Tensile Wedge Tensile

Torque Tension

ASTM E18; ISO 6508-1 ASTM E10; ISO 6506-1 ASTM E384; ISO 6507-1

ASTM F606/F606M; ISO 898- 1, 898-2, 6892-1 SAE J429, J995; ISO 6892-1; ISO 898-1 SAE J429, J995; ISO 898-1

FORD WZ-100, FORD WZ-101; RENAULT 01-50-005; SAE J174; ISO 16047; VDA 235-203; GMW 3359; EN 14399-2, EN 14831; CAT IE1675; PSA C100054; FIAT 7-G0114; GME 00150 (withdrawn 2011)²

Metallographic Evaluation Preparation Grain Size (Comparison Method) Inclusion (Method A) Plating Thickness Case Depth Discontinuities

ASTM E3 ASTM E112; ISO 643 SAE J422; UNI 3244 ASTM B499; ISO 1463, 2178, 3497 SAE J423 ASTM F788/F788M (discontinued 2013)²; ISO 6157-1,-2,-3

ASTM E1077; ISO 898-1; SAE J419

ASTM B499; ISO 2178, 3497, 3882

ASTM B117; UNI ISO 9227

Decarburization, Depth of Decarburization

(A2LA Cert. No. 0204.01) 01/28/2022

Coating Thickness

Salt Spray

Surface Finish

ISO 4288, 21920-3

Page 1 of 3

5202 Presidents Court, Suite 220 | Frederick, MD 21703-8515 | Phone: 301 644 3248 | Fax: 240 454 9449 | www.A2LA.org

Certificate Number: 0204.01

Test Method(s):

Microhardness (Vickers- HV0.3, HV0.5 and HV1)

Test(s):

ASTM E92

<u>Chemical Testing:</u> Optical Emission Spectroscopy on Carbon and Low Alloy Steel (Al, B, C, Cr, Cu, Mn, Mo, N, Ni, P, S, Si, Sn, Ti)

ASTM E415

I. Dimensional Testing³

Parameter	Range	$\mathrm{CMC}^{4}\left(\pm\right)$	Technique/Method
Angle ⁵	Up to 360°	10'	Profilometer/ISO 4759-1
Radius ⁵	Up to 100 mm Up to 100 mm	0.02 mm 0.04 mm	Profilometer/ISO 4759-1 Profilometer/ISO 4759-1
Threads ⁵ –			
Major Diameter	Up to 50 mm	0.003 mm	Micrometer/ISO 965-2
Functional Diameter	Up to 50 mm	0.003 mm	Tri-roll/UNI 5541
Length ⁵	II / 50	0.002	N: //ICO 4750 1
	Up to 50 mm	0.003 mm	Micrometer/ISO 4759-1
	Up to 200 mm	0.025 mm	Digital caliper/ISO 4759-1
	(200 to 600) mm	0.05 mm	Dial indicator/ISO 4759-1
	Up to 13 mm	0.004 mm	Digital indicator/ISO 4759-1
	Up to 50 mm	0.03 mm	Analog indicator/ISO 4759-1

hu

AGRATI SPA Via Fernando Santi 16/18 20056 Trezzo sull'Adda, Italy Phone: 0039 02 90980498

Test(s):	<u>Test Method(s):</u>
Salt Spray	ASTM B117; DIN 50021; UNI ISO 9227
Coating Thickness	ASTM B499; ISO 2178, 3497, 3882
Friction Test	CAT IE1675; DIN 946; EN14399.2, 14831; FIAT 7-G0114; FORD WZ100, WZ101; GMW3359, E00150; PSA C100054, C100055; RENAULT 01.50.005; SAE J174, ISO 16047; VDA 235-203

¹This accreditation covers testings performed at all laboratory locations listed in this scope of accreditation.

²This laboratory's scope contains withdrawn or superseded methods. As a clarifier, this indicates that the applicable method itself has been withdrawn or is now considered "historical" and not that the laboratory's accreditation for the method has been withdrawn.

³This laboratory does not offer commercial dimensional testing services.

⁴Calibration and Measurement Capability (CMC) is the smallest uncertainty of measurement that a laboratory can achieve within its scope of accreditation when performing more or less routine measurements of nearly ideal measurement standards or nearly ideal measuring equipment. Calibration and Measurement Capabilities represent expanded uncertainties expressed at approximately the 95 % level of confidence, usually using a coverage factor of k = 2. The actual measurement uncertainty of a specific measurement performed by the laboratory may be greater than the CMC due to the behavior of the customer's device and to influences from the circumstances of the specific measurement.

⁵This test is not equivalent to that of a calibration.

An





Accredited Laboratory

A2LA has accredited

A. AGRATI SPA Monza Brianza, Italy

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 28th day of January 2022.

Vice President, Accreditation Services For the Accreditation Council Certificate Number 204.01 Valid to October 31, 2023

For the types of tests to which this accreditation applies, please refer to the laboratory's Mechanical Scope of Accreditation.